HP Z8 Fury G5 Workstation Desktop PC



Extreme performance. Infinite possibilities

Experience a new echelon in high performance. Transformative single socket technology delivers extreme performance with up to 56 cores in a single CPU, to also unleash the power of up to 4 high-end GPUs. Now you can breeze through even the most complex deep learning, virtual production, and VFX.



*Product image may differ from actual product

HP recommends Windows 11 Pro for business

Relentless power. Extraordinary expandability

 Tackle the most complex workflows with up to a 56 core Intel® Xeon® W CPU¹, up to 4 high-end GPUs, 2TB DDR5 RAM, 120 TB storage and 2,250W of power.² Easily expand as work evolves with 8 PCle slots (up to Gen 5), and 4 front accessible NVMe bays.³

Engineered to stay cool and quiet

Push your desktop workstation without disruptive noise. Smart fan control keeps the system whisperquiet by tuning fan speeds in real-time using over 20 temperature sensors. Precisely placed vents and ducts streamline airflow and heat removal.

Solutions for smarter workflows

- Remotely access the power of your Z with HP Anyware⁶. Get fast responsiveness and image quality
 even in high-end workflows. Save time with WSL2⁷, enabling Linux to run in Windows. Get easy
 access to tools from the Z by HP Data Science Stack Manager⁸.
- Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.⁹
- Power extreme professional workloads with a transformative single socket Intel[®] Xeon[®] W CPU (up to 56 cores¹), Intel vPro^{®10} manageability and security, and ECC Memory¹¹ for reliability.
- A first for Z desktop PCs tackle complex renderings, simulations and datasets with up to 4 NVIDIA RTX™ A6000 or 2 AMD Radeon™ Pro W6800 GPUs.¹³
- Accelerate workflows. Power through memory-intensive workloads with up to 2 TB DDR5 memory¹⁴ for fast rendering, simulation, film and video editing, and deep learning performance.
- Get up to 120TB of storage across a variety of devices, including new front-accessible, hot-swappable NVMe devices with status information via external LED and email notifications.¹⁵
- Use redundant power to stay up and running during critical workflow. Or switch to aggregate power to combine two power supplies for 2,250W power when you need it.¹⁶
- Thunderbolt™ 4 technology ¹⁷ for fast data transfers, two optional USB3.2 SuperSpeed Type-C[®] connectors for transfer rates up to 20Gbps, and two ports of 10 GbE network connection.
- Access the power of your Z from any device with HP Anyware¹⁸—remote access software delivering
 fast responsiveness and image quality, even in film editing and data visualizations.
- Get enhanced support and reduce downtime. HP Smart Support¹⁹ provides support agents, secure
 access to device health insights, and configuration data for faster troubleshooting.
- Z by HP Data Science Stack Manager provides easy access to popular data science tools and updates them automatically, to help you customize your environment on Windows or Ubuntu.²⁰
- Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance even with complex projects.
- Keep quiet, cool and focused even at peak performance. Smart fan control keeps the system whisperquiet by tuning fan speeds in real-time using 20 temperature sensors.

HP Z8 Fury G5 Workstation Desktop PC Specifications Table







Available Processors* frequency, up to 48 GHz with intel®** Turbo Boost Technology, 75 MB.13 cache, 26 cores, 56 threads); Intel®** Word® W7-3495 C.6 GHz base Frequency, up to 4.8 GHz with intel®** Turbo Boost Technology, 52 SHB.13 cache, 20 cores, 40 threads); Intel®** Word®** W7-3495 C.6 GHz base Frequency, up to 4.7 GHz with Intel®** Turbo Boost Technology, 52 SHB.13 cache, 12 cores, 24 threads); Intel®** Word®** W7-3495 C.1 GHz base Frequency, up to 4.7 GHz with Intel®** Turbo Boost Technology, 30 MB.13 cache, 12 cores, 24 threads); Intel®** Word®** SARS C.1 GHz base Frequency, up to 4.2 GHz with Intel®** Turbo Boost Technology, 30 MB.13 cache, 12 cores, 24 threads); Intel®** Word®** SARS C.1 GHz base Frequency, up to 4.2 GHz with Intel®** Turbo Boost Technology, 30 MB.13 cache, 12 cores, 24 threads); Intel®** W7930 Form factor Tower Maximum memory 18 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 16 GBMM 18 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 18 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 19 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 10 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 10 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 10 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 11 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 11 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 11 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 11 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 12 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 MTS. Memory slots 13 18 DDRS-4800 ECC SDRAM** 1 Trander rates up to 4800 ECC SDRAM** 1 Tra	*Productimagemay differ from actual product	
sterd * Sport* West-StepOnt* Sport* S	Available Operating Systems	Ubuntu 22.04 LTS Linux® Ready ⁵
Mailable Processors? Mailable Processors.	Processor family	Intel® Xeon® processor
Table Tabl	Available Processors ⁷	3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads); Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 28 cores, 56 threads); Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 24 cores, 48 threads); Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 20 cores, 40 threads); Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads); Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads); Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24
Maximum memory 178 (DRS -6800 NCC 5.5098 NT)	Chipset	Intel® W790
Internal storage Internal sto	Form factor	Tower
Internal storage 1 TB up to 12 TB 7200 rpm SME Enterprise HDD ³ 512 GB up to 2 TB HP 2 Turbo Drive PCRe* SED Onal 2 M, 2500B 512 GB up to 2 TB HP 3 Turbo Drive PCRe* SED Onal 2 M, 2500B 512 GB up to 2 TB HP 3 Turbo Drive PCRe* SED Onal 2 M, 2500B 512 GB up to 2 TB HP 3 Turbo Drive PCRe* SED Onal 2 M, 2500B 512 GB up to 2 TB HP 3 Turbo Drive PCRe* SED Onal 2 M, 2500B 419 SIMIN OVER-900K IP SIMIN BULFOR WINDIN FOR THE TOP Winding HELL AND MARKET PCRO CORE GB CORE devictance, NUMBA FDR** SEXXO (24 GB GDDR6 dedicated), AMD Radeon** Pro W6500 (32 GB GDDR6 HIGH HANDIN KTIV** GDOX AND GREEN HA	Maximum memory	1 1
S12 GBU pto 2 TBH P2 Turbo Drive (Pale* SDD M.2*) S12 GBU pto 2 TBH P2 Turbo Drive (Pale* SDD M.2*) S12 GBU pto 2 TBH P3 Turbo Drive (Pale* SDD M.2*) S12 GBU pto 2 TBH P3 Turbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale* SDD M.2* S12 GBU pto 2 TBH P3 TUrbo Drive Pale*	Memory slots	16 DIMM
Available Graphics Communications C	Internal storage	512 GB up to 2 TB HP Z Turbo Drive PCle® SSD M.2 ⁸ 512 GB up to 2 TB HP Z Turbo Drive PCle® SED Opal 2 M.2 SSD ⁸
dedicatedy, NMDIA RTX** 6000 Ada Generation (48.06 GODR6 dedicated). NMDIA RTX** ADDOC (12.06 GDDR6 dedicated). NMDIA** T1000 (4.06	Optical drive	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{9,10}
Expansion slots 1 PCIe 3 x8; 2 PCIe 5 x16; 1 PCIe 5 x4; 2 PCIe 4 x16; 2 PCIe 4 x4; 2 PCIe 4 x8; Rear bulkhead access can be achieved through all slots but 2 PCIe 4 x8, and 2 PCIe 4 x8 at a internal access only for M.2 (1 PCIe 4 x16 available when 2nd CPU is not installed; 1 PCIe 3 x16 available only when 2nd CPU is installed.) Memory card device 1 5D card reader (optional) Front (Premium version): 2 SuperSpeed USB Type-C* 20Gbps signaling rate (USB Power Delivery); 2 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headset/microphone combo**; 8 ear; 6 SuperSpeed USB Type-A 5Gbps signaling rate; 1 audio-in/out; 2 RI-45 (1 GBE AMT, 1 GBE, optional 1 0 GBE) Input devices 1 PUSB Business Slim Smart Card CID is keyboard; HP USB 320K Keyboard; HP 125 Black Wired Keyboard; HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse; HP wired desktop 128 laser mouse; HP wired best on 128 laser mouse; HP wired best	Available Graphics	dedicated); NVIDIA RTX™ 6000 Ada Generation (48 GB GDDR6 dedicated) ³⁰ High-End: NVIDIA RTX™ A4500 (20 GB GDDR6 dedicated); NVIDIA RTX™ A4000 (16 GB GDDR6 dedicated); NVIDIA RTX™ A2000 (12 GB GDDR6 dedicated); NVIDIA RTX™ A2000 (12 GB GDDR6 dedicated) ³⁰ Mid-Range: NVIDIA® T1000 (8 GB GDDR6 dedicated); NVIDIA® T1000E (8 GB GDDR6 dedicated); AMD Radeon™ Pro W6600 (8 GB GDDR6 dedicated)³ Entry: NVIDIA® T1000 (4 GB GDDR6 dedicated); NVIDIA® T400 (4 GB GDDR6 dedicated); AMD Radeon™ RX 6400 (4 GB GDDR6 dedicated); Intel® Arc™ Pro A40 (6 GB
Memory card device 15D card reader (optional)	Audio	Realtek ALC3205-CG
Front (Premium version): 2 Super-Speed USB Type-C* 20Gbps signaling rate (USB Power Delivery); 2 Super-Speed USB Type-A 5Gbps signaling rate; 1 headset/microphone combo ²⁹ ; 8ear: 6 Super-Speed USB Type-A 5Gbps signaling rate; 1 audio-in/out; 2 RJ-45 (1 GbE AMT, 1GbE, optional 10GbE) Input devices	Expansion slots	
headset/microphone combo ²⁹ ; Rear 6 Super Speed USB Type-A SGbps signaling rate; 1 audio-in/out; 2 RJ-45 (1 GbE AMT, 1GbE, optional 10GbE) Input devices HP USB Business Slim SmartCard CCID Keyboard; HP USB 320K Keyboard; HP 125 Black Wired Keyboard ¹³ ; HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse ¹³ ; LAN: Intel® Ethernet Network Adapter 1225-T1; Integrated Intel® 1219-LM PCIe® GbE, vPro®; Integrated Intel® 1210-AT PCIe® GbE, non-vPro®, Intel® XS50-T2 dual-port 10GbE MIC; MVDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-29117/2-901 dual-port 10GbE NIC; MVDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-29117/2-901 dual-port 10GbE NIC; MVDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-29117/2-901 dual-port 10GbE NIC; Allied Telesis AT-29135X/LC PCIe Fiber NIC; HP Qual-port 10 GBASE-T NIC (PCIe slot not required); WLAN: Intel® W-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna 1251. Drive Bays Two 3.5° HDD; Two 9.5 mm 0DD; Six PCIe® M.2 SSD; Four PCIe® M.2 SSD Software HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Image Assistant; HP Manageability Integration Kit; HP Anyware; HP Data Science Stack Manager; 171/31.933 Security Management Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Security Software Licenses HP Wolf Pro-Security Edition ²⁸ Management features HP Wolf Pro-Security Edition ²⁸ Management features HP Wolf Pro-Security Edition ²⁸ 1450 W internal power supply, up to 90% efficiency active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, a	Memory card device	1 SD card reader (optional)
LAN: Intel® Ethernet Network Adapter 1225-T1; Integrated Intel® 1219-LM PCIe® GbE, vPro®; Integrated Intel® 1210-AT PCIe® GbE, non-vPro®; Intel® X550-T2 dual-port 10GbE NIC; NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE \$FP28 NIC; Allied Telesis AT-2911TIZ-901 dual-port 10GbE NIC; HIP dual-port 10 GBASE-T NIC (PCIe slot not required); WLAN: Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna 1²231; Drive Bays Two 3.5* HDD; Two 9.5 mm 0DD; Six PCIe® M.2 SSD; Four PCIe® M.2 SSD Software HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Image Assistant; HP Manageability Integration Kit; HP Anyware; HP Data Science Stack Manager; 17.18.19.33 Security management Fellowing encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Security Software Licenses HP Wolf Pro Security Edition?8 Management features HP Dirver Padks; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficien	Ports and Connectors	headset/microphone combo ²⁹ ;
dual-port 106bE NIC; NUDIA® Mellanox ConnectX-6 DX Dual Port 10/250bE SFP28 NIC; Allied Telesis AT-2911T/2-901 dual-port 10 GBE NIC; Allied Telesis AT-2914S/LC PCIe Fiber NIC; HP dual-port 10 GBASE-T NIC (PCIe slot not required); WLAN: Intel® Wi-Fi 6E AX:210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna ^{12,31} ; Drive Bays Two 3.5° HDD; Two 9.5 mm ODD; Six PCIe® M.2 SSD; Four PCIe® M.2 SSD Software HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Image Assistant; HP Manageability Integration Kit; HP Anyware; HP Data Science Stack Manager; ^{17,18,19,33} Security management Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Sense; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives; ^{20,21,22,23,24,25,26,27} Security Software Licenses HP Wolf Pro Security Edition ²⁸ Management features HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support HO Dimensions 1450 W internal power supply, up to 90% efficiency; 2250 Waggregate internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power s	Input devices	HP USB Business Slim SmartCard CCID Keyboard; HP USB 320K Keyboard; HP 125 Black Wired Keyboard ¹³ ; HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse ¹³ ;
HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Image Assistant; HP Manageability Integration Kit; HP Anyware; HP Data Science Stack Manager; 17,18,19,33 Security management Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BloSphere; HP Sure Run; HP Sure Click; HP Sure Serse; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives; 20,21,22,32,42,52,62,7 Security Software Licenses HP Wolf Pro Security Edition ²⁸ Management features HP Driver Packs; HP System Software Manager (download); HP BloS Configuration Utility (download); HP Smart Support 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply efficiency, active PFC; 1125 W redundant in	Communications	dual-port 10GbE NIC; NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-2911T/2-901 dual-port 1GbE NIC; Allied Telesis AT-2914SX/LC PCIe Fiber NIC; HP dual-port 10 GBASE-T NIC (PCIe slot not required); WLAN: Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro®
Integration Kit; HP Anyware; HP Data Science Stack Manager; ^{17,18,19,33} Security management Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Sense; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives; ^{20,21,22,23,24,25,26,27} Management Licenses HP Wolf Pro Security Edition ²⁸ HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support Power HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, a	Drive Bays	Two 3.5" HDD; Two 9.5 mm ODD; Six PCle® M.2 SSD; Four PCle® M.2 SSD
Sense; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives; 2021222324253627 Security Software Licenses HP Wolf Pro Security Edition ²⁸ Management features HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to	Software	HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Image Assistant; HP Manageability Integration Kit; HP Anyware; HP Data Science Stack Manager; 17.18.19.33
Management features HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support 1450 W internal power supply, up to 90% efficiency; 2250 W aggregate internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant	Security management	Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Sense; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives; 2021;2223;2425;2627
Power 1450 W internal power supply, up to 90% efficiency; 2250 W aggregate internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC;	Security Software Licenses	HP Wolf Pro Security Edition ²⁸
Power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply 90% efficiency, active PFC; 1125 W redundant internal power supply 90% efficiency, active PFC; 1125 W redundant internal power supply 90% efficiency, active PFC; 1125 W redundant internal power supply 90% efficiency, acti	Management features	HP Driver Packs; HP System Software Manager (download); HP BlOS Configuration Utility (download); HP Smart Support
Weight Starting at 22 kg; (Exact weights depend upon configuration (System weight only)) Ecolabels EPEAT® registered configurations available; TCO Certified configurations available 14,15 Energy star certified (series fixed) ENERGY STAR® certified (configurations available) Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal 16	Power	
Ecolabels EPEAT® registered configurations available; TCO Certified configurations available 14,15 Energy star certified (series fixed) ENERGY STAR® certified (configurations available) Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal 16	Dimensions	21.59 x 55.12 x 44.45 cm
Energy star certified (series fixed) ENERGY STAR® certified (configurations available) Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal ¹⁶	Weight	
Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal ¹⁶	Ecolabels	EPEAT® registered configurations available; TCO Certified configurations available 14,15
cushion inserts contain 80% recycled content; Ocean-bound plastic in system Fan; 10% post-industrial recycled metal ¹⁶	Energy star certified (series fixed)	ENERGY STAR® certified (configurations available)
Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Sustainable impact specifications	
	Compatible displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays

HP Z8 Fury G5 Workstation Desktop PC

Messaging Footnotes

- ¹ Multicore's designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and broaming is not a measurement of higher performance.

 2 TB DDRS memory is planned to be available by the first half of 2023.

 3 Optional, configurable features. Two front accessible NVM eb ays require a 5.25 bay carrier. Configuration for 120TB requires separate additional purchase. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to

- 27 EBDDRS memory is planned to be available by the first half of 12023.
 30 potanel, configurable features. Two front accessible NVM be bays requires 5.25 bay carrier. Configuration for 120TB requires separate additional purchase. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB reserved for system recovery software.
 30 potanel, configurable feature, reducind and aggregate power requires configuring two 1125W power supplies at hardware purchase.
 3 resting is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.
 4 Network access required. HP Anywares obscriptions are based on the number of concurrent PCoP connections used (pay for the number of host connections, nor the software) with a minimum order quantity of 5. For alimbed time. an HP Anyware solbs cription term. HP Anywares subscription are based on the number of concurrent PCoP connections used (pay for the number of host connections, nor the software) with a minimum order quantity of 5. For alimbed time. an HP Anyware solbs cription to a soll and the secens and supported for 20 central connect and a swalable for purchase through an HP reseller or contact sales at hp. com/Anyware. Zicentral Remote Boost Sender requires Windows 10 and 11, RHEL/Cent0S (7 or R), or UBUNTU 18.04 or 20.04 LTS operating systems, mac SC (10.14 or newer) operating system and ThisPro 7.2 are only supported to the receive size. Zicentral Connect and a swalable on the receiver size. Zicentral Connect and a swalable on the centre of the purchase of the Admin Guides at: https://docs.teadsic.tom/find/product/hp-anyware.

 7 Optional, configurable features through a swalable on the centre of the Admin Guides at: https://docs.teadsic.tom/find/product/hp-anyware.

 7 Optional, configurable features from the c

Technical Specifications Footnotes

- Not all features are available in all editions or versions of Windows. Systems may require upgraded and \(b \) reparately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. EP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 2 Windows 11 Pro for Workstations can be preinstalled. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) beforeuninstalling and installing operating systems to avoid loss of your data.

 3 Note: Windows 7 and Windows 8 operating systems are not supported on this product. No Windows 7 or Windows 8 drivers will be provided on http://www.support.hp.com.

- Note: For defailed Linux® OS/hardwares upport information, see http://www.hp.com/searchgover.marker.

 Note: For defailed Linux® OS/hardwares upport information, see http://www.hp.com/searchgover.marker.

 Note: For defailed Linux® OS/hardwares upport information, see http://www.hp.com/searchgover.marker.

 Intel vPro® requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and Dr Wi-Fi6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprisevary. See http://intel.com/pro.

 8 Forstorage drives, G8 = 1 billion bytes: T8 = 1 trillion bytes. T8 = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for system recovery software.

 9 Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. No support for DVD RAM.

 10 With Blu-Ray, certain disc, digital connection, compatibility and/a preformance issues may arise, and do not constitute defects in the product. Hawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVIor HDMidgital connection and your display may require HDC 9 support. HD-DVD movies cannot be played on this Desktop Pc.

 11 The 2TB memory configuration requires 128GB DIMMs which is planned to be available in the first half of 2023.

- 12 Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi6 (802.11 ax) is backwards compatible with prior 802.11 specs

- 1-3 Optional or add-on feature.
 1-4 Detroinal or add-on feature.
 1-5 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY STAR available with a combination of high-performance CPU's, high-performance GPU's and select memory configurations.
 1-6 External power supplies, power cords, cab les and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.
 1-7 HP Performance Advisor Software- HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at:
 https://www.b.p.com/us/en/workstations/performance-advisor.html.

- ntps://wwws.np.com/ussen/workstatons/petron/mance-advsor.ntm.

 **I HP Support Assistant requires Windows and Internet access.

 **I HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us&n/ads&lientmanagement.bverview.html.

 **I HP Surport Assistant requires Mindows 11 Pro or Enterprises. See thitps://bit.ly/2PrLT6A_SureClick for complete details.

 **I HP Sure Start Gen 7 is available on select HP PCs and Workstations. See product specifications for availability.

 **I HP Sure Recover Gen 8 is available on select HP PCs and requires an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

 **I HP Sure Recover Gen 8 is available on select HP PCs and requires an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

 **I HP Sure Recover Gen 8 is available on select HP PCs and requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.
- ²⁴ HP Sure Run Gen 5 is available on select HP PCs and requires Windows 10 and higher

- "H P Sure Run Gen 5 is available on select HP PCs and requires Windows 10 and higher.

 28 HP Sure Admin requires Windows 10 and higher. HP BOS, he Manageability hietgration Kit from http://www.hp.com/go/kientmanagement and HP Sure Admin Local Access Authenticator smartphoneapp from the Android or Applestore.

 28 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publikation 800-88.

 27 HP BOSphere Gen 6 features may vary depending on the platform and configurations.

 28 HP Wolf Pro Security Edition including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: '7. Term.

 Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the licenses for the HP Wolf Pro Security Edition (HP Sures sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thity-six (13) month license term ("hital Term"). At the end of the hital Term you may either (a) purchase arenewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click Pro) and additional cross with hon future software produced and a Click and HP Sure Sense at no additional cost with no future software updates or HP Support
- Click and HP SureSense at no additional cost with no inturesoftwareupoates or HP Support.

 3º Frontentry contain: 1 headset connector, 4 SuperSpee do USB Type-A Sobbys signaling rate. Front Entry and Front Premium offer Battery Charging 1.2 through one of the USB Type-A Sobbys signaling rate.

 3º NVDIA graphics cards denoting a letter "E" refer to long-life variants of the card.

 3¹ Wi-FiGE requires a Wi-FiGE router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-FiGE is backwards compatible with prior 802.11 specs. And available in countries where Wi-FiGE is supported by the specific of t

- ³⁶ 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
 ³⁷ Fiber cushions made from 100% recycled wood fiber and organic materials.

Sign up for updates hp.com/go/getupdated

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or

Intel, Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. NVIDIA is trademark and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. USB Type-C® is registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their respective owners.

